INDEX TO VOLUME 34

Acriflavine, 166.
Aeration, 176.
  two methods to prevent winterkill, 175-178
Aeromonas liquefaciens, 19.
  salmonicida, 19.
Alginate binders for crustacean rations, 9-12.
Amblema costata, 210-216.
AMEND, DONALD F., and JAMES W. WOOD: Survey for infectious hematopoietic necrosis (IHN) virus in Washington salmon, 143.
Amur, white, sensitivity to fish toxicants, 26.
ANDERSON, DOUGLAS P., and AVRON J. ROSS: Comparative study of Hagerman redmouth disease oral bacterins, 226.
ANDERSON, MAX A., and SILAS L. PAULSON: A simple and inexpensive wood-float periphyton sampler, 225.
ANDERSON, RICHARD O. (see BRAUHN, JAMES L.), 207
ANDREWS, JAMES W., LEE H. KNIGHT, and TAKESHI MURAI: Temperature requirements for high density rearing of channel catfish from fingerling to market size, 240.
Anguilla rostrata, 33-38.
Aquatic plant control, crayfish, 57-58.
ARNOLD, C. R. (see SMIGIELSKI, ALPHONSE S.), 113.
Artemia, 3-4.
AVAULT, JAMES W., JR. (see PERRY, W. GUTHRIE, JR.), 229.

Bacterins, oral, Hagerman redmouth disease, 226-228.
BAHR, THOMAS G.: Recording electrical activity from the lateral-line nerve in trout, 59.
Bajkov method, modified for feeding periodicity, 191-192.
Barbus amphigramma, 162.
Barometric pressure, effect on spawning, 110-112.
Bass, largemouth, August spawning, 207-209; cold branding, 132; crayfish for forage, 55-58; reared with hybrid sunfish, 107-109; responses to thermal effluent, 88-90; tracing heart and opercular rates with hypodermically implanted bipolar electrode, 233-234.
  smallmouth, embryonic and larval development at 23° C., 237-239.
  yellow grub infection, 119.
Battery, gastric, to power an ultrasonic tracking transmitter, 216.
Beckman Macro Elecrode, 39-41.
BENNETT, DAVID H.: Length-weight relationships and condition factors of fishes from a South Carolina reservoir receiving thermal effluent, 85.
Benzaldehyde, 149-150.
BERINATI, D. J., and G. J. CROWLEY: Blood sample preservation for hemoglobin assay, 63.
Binders, alginate, for crustacean rations, 9-12.
Blood, chemistry, comparative study in marine and freshwater eels, 33-38; effects of Thanite, 81-84.
  minimizing clotting with battery powered magnetic stirrer, 159.
  parameters, Atlantic salmon, 152-155.
  preserving samples for hemoglobin assay, 63-64.
Bluegills, cold branding with liquid nitrogen, 131-132; effects of thermal effluent, 85-87; sexing by secondary sexual characteristics. 17.
BOLOGA, FRANK (see BUTLER, ROBERT L.), 182.
BRAND, JAMES S. (see DUMAS, RICHARD F.), 7.
Branding, boiling water, 72.
  liquid nitrogen, 112, 131-132.
BRAUHN, JAMES L.: A suggested method for sexing bluegills, 17.
BRAUHN, JAMES L., DELMAR HOLZ, and RICHARD O. ANDERSON: August spawning of largemouth bass, 207.
BRAUHN, JAMES L., and JAMES W. HOGAN: Use of cold brands on channel catfish, 112.
Bullheads, brown, piscivorous activities in Lockhart Pond, 141-142; responses to MS-222, 27-32.
BUTLER, D. P. (see MEYERS, S. P.), 9.
BUTLER, ROBERT L., and FRANK BOLOGA: A lightweight sturdy live box for fishery work, 182.
BYLES, THOMAS C. (see NEILL, WILLIAM H.), 170.

Cage, exposing aquatic animals to bottom sediments, 120.
  rotatable, for high-density culture, 8.
CAILLOUET, CHARLES W.: Rotatable cage for high-density aquaculture, 8.
Calcium alginate-bound rations, 10.
Cambarus, 141.
  diogenes, 55-58.
Carassius auratus, 22.
CARLSON, ANTHONY R. (see HALE, JOHN G.), 195.
Carp, 163.
  cold branding, 132.
  effects of Thanite on blood chemistry, 81-84.
  water hardening eggs, 7.
Catfish, channel, caged with mullet or tilapia for added production, 229-232; cold branding, 112; control of white-spot disease, 21-26; grader for sorting, 76-80, 186-190; high-density rearing, 100-102; jar incubation of eggs, 48; monitoring use of a demand feeder, 204-206; off-season spawning, 102; temperature requirements for high-density rearing from fingerling to market size, 240-241.

Catostomus commersoni, 136, 235-236.
Centrarchids, cold branding with liquid nitrogen, 131-132.
Ceratomyxa shasta, control, 13-17.
CHESHIRE, W. F., and K. L. STEELE: Hatchery rearing of walleyes using artificial food, 96.
Chilodonella, 22-24.
Chironomidae, 141.
Chloramine-T, 167.
Chlorination, control of *Ceratomyxa shasta*, 13-17.
Chloroform, 227.
Chondrococcus columnaris, 15, 19.
Clams, sphaeriid, growth in laboratory, 210-216.
Clarias Carsonii, 162.
CLARY, JAMES ROBERT: Predation on the brown trout by the slimy sculpin, 91.
Cleidodiscus, 23-24.
CLIFFORD, THOMAS J., and STEPHEN FACCIANI: *Philometra nodulosa* in Wyoming white suckers, 235.
CLINE, THOMAS F., and GEORGE POST: Therapy for trout eggs infected with *Saprolegnia*, 148.
Clinostomum marginatum, in centrarchids, 119.
Clupea harengus pallasi, 2-7.
Coefficients of condition, to evaluate effects of heated effluent, 85-87.
COLBY, PETER J., and GEORGE N. WASHBURN: Feeding behavior of lake whitefish and lake herring in Torch Lake, Michigan, 151.
Colorado standard pellet formula, 157.
Columnaris disease, 15.
COOK, DAVID W.: A circulating seawater system for experimental studies with crabs, 61.
Copper sulphate, 167.
Copper-tox No. 6, chemical reclamation, 134.
Coregonus artedii, 151.
clupeaformis, 151.
Costia, 22-24, 123-125.
Cottus cognatus, 91-95.
COUTANT, CHARLES C.: Successful cold branding of nonsalmonids, 131.
Crabs, blue, circulating seawater system, 61-62.
stone, high-density culture, 8.
Crappie, black, effects of thermal effluent, 85-87.
CRAWFORD, DAVID L., and DUNCAN K. LAW: Mineral composition of Oregon pellet production formulations, 126.
Crayfish, forage for largemouth bass, 55-58.
CROSS, D. G.: A review of methods to control ichthyophthiriasis, 165.
CROWLEY, G. J. (see BERINATI, D. J.), 63.
CROWLEY, GERALD J.: A battery powered magnetic stirrer for field use, 159.
Crustaceans, alginate binders for rations, 9-12.
Ctenopharyngodon idellus, 26, 163.
Ctenopoma muriei, 162.
Culture, high-density, 8.
high-density rearing of catfish, 100-102, 240-241.
yellow perch in the laboratory, 195-198.
CURTIS, LYLE D. (see ZIRGES, MALCOLM H.), 190.
Cutrine, 149-150.
Cyanide poisoning, 81-84.
Cyprinus carpio, 81-84, 132, 162.
Cytophaga psychrophila, 19.

DAWSON, WALTER F. (see SYRETT, ROLL F.), 241.
Dexon, 149-150.
DEXTER, ROGER P. (see ROONEY, SALLY C.), 152.
Diet, alginate binders for crustacean rations, 9-12.
artificial food for walleyes, 96-99; mineral composition of Oregon pellet formulations, 126-130.
rate of gastric evacuation with pelleted feed, 156-159.
Dissolved oxygen, 177-178.
effects on two life stages of the mummichog, 222-225.
Dowicide A, 149-150.
DUMAS, RICHARD F., and JAMES S. BRAND: Use of tannin solution in walleye and carp culture, 7.
Dyes, 73-74.

Eels, American, blood chemistry and respiration of marine and freshwater eels, 33-38.
Effluent, from a nuclear reactor, 85-87, 88-90.
Eggs, effects of sperm storage and dilution on fertilization, 179-181.
fungus on dead ones, 54.
how size affects growth and mortality, 66-69.
incubating, 49-54.
inexpensive incubator, 183-184.
infected with *Saprolegnia*, 148-151.
jar incubation, 48.
mudding, 49.
viability, spawned and fertilized 24 hours after death of female, 190.
water hardening with tannin solution, 7.
ELLIS, JAMES E. (see GREENLAND, DONALD C.), 186.
Embryos, teleost, preparing for study, 43-48.
three methods for determining dissolved oxygen concentrations, 39-42.
ERVIN, JOSEPH L., and TERRY A. HAINES: Using light to collect and separate zooplankton, 171.
Esox masquinongy, 43-48.
niger, 217.

FACCIANI, STEPHEN (see CLIFFORD, THOMAS J.), 235.
Feed, pellet stability, 11-12.
Feeder, self, 204-206.
with automatic pellet dispenser, 170.
Feeding habits, brown bullheads, 141-142.
information from self-feeders, 204.
lake herring and lake whitefish, 151.
sculpin, 92.
Fertilization, sperm storage and dilution, 179-181.
Filter, electronic, to separate high frequency depolorization heart-rate signals from lower frequency opercular-rate signals, 233-234.
Filtration, high-rate sand filter and MicroFLOC for control of *Ceratomyxa shasta*, 13-17.
Fin, injections, 73-74.
perforations, 72.
Fishing, artificial lure, 199-203.
Flounder, winter, separating and incubating eggs, 113.

Flowmeter, large-capacity, 116-117.
Food, artificial, for rearing walleyes, 96-99.
direct estimation of total consumption, 191-194.
effect of starvation time on amount eaten, 160-161.
Forage, crayfish, 55-58.
rainbow smelts, 135.
Formalin, 149, 167, 227.
and malachite green, controlling *Ichthyophthirius*, 21-26.
FORNEY, DAVID L. (see GIBBONS, J. WHITFIELD), 88.
FOWLER, LAURIE G.: Growth and mortality of fingerling chinook salmon as affected by egg size, 66.
FRYER, J. L. (see SANDERS, J. E.), 13.
Fundulus diaphanus, 136.
heteroclitus, 222-225.
Fungicides, for *Saprolegnia parasitica*, 148-151.
Furanace, sensitivity of bacterial fish pathogens, 18-20.

GALAT, DAVID L.: Preparing teleost embryos for study, 43.
Gastric evacuation rate, 156-159, 194.
GIBBONS, GEORGE O. (see STICKNEY, ROBERT R.), 100.
GIBBONS, J. WHITFIELD, JAMES T. HOOK, and DAVID L. FORNEY: Winter responses of largemouth bass to heated effluent from a nuclear reactor, 88.
GILL, ROBERT L. (see GREENLAND, DONALD C.), 76, 186.
Glutaraldehyde, 149-150.
Goldfish, toxicity of malachite green and formalin, 22.
Gonadosomatic index, 208.
Grader, catfish, development and efficiency, 76-80; adjustable horizontal bar, 186-190.
GREENLAND, DONALD C., JAMES E. ELLIS, and ROBERT L. GILL: Operating and design criteria of an adjustable horizontal bar grader for sorting channel catfish, 186-190.
GREENLAND, DONALD C., and ROBERT L. GILL: Development and operation efficiency of a catfish grader, 76.
GREENLAND, DONALD C., and SAMMIE L. WEAVER: Mechanized net storage reel, 114.
Growth, creel-size trout plant, 202.
egg size, 66-69.
high-density rearing, 101-102.
laboratory, sponges, unionid mussels, and sphaeriid clams, 210-216.
Grub, yellow, in centrarchids, 119.

HAINES, TERRY A. (See ERVIN, JOSEPH L.), 171.
HALE, JOHN G., and ANTHONY R. CARLSON: Culture of the yellow perch in the laboratory, 195.
HANSON, LEE H.: An evaluation of selected marks and tags for marking recently metamorphosed sea lampreys, 70.
Haplochromis, 163.
HASTINGS, W. H. (See MEYERS, S. P.), 9.
HASTINGS, W. H., BILL HINSON, DEWEY TACKETT, and BILL SIMCO: Monitoring channel catfish use of a demand feeder, 204.
Heart rate, recording, 233-234.
HEIDINGER, ROY C., and WILLIAM M. LEWIS: Potentials of the redear sunfish x green sunfish hybrid in pond management, 107.
HEITMULLER, PAUL T., and DELWAYNE F. NIMMO: A cage for exposing aquatic animals to bottom sediments, 120.
Hematological parameters, immature Atlantic salmon, 152-155.
Hemoglobin assay, blood sample preservation, 63-64.
HENNEKEY, RAYMOND J. (see VOYER, RICHARD A.), 222
Herring, lake, feeding behavior, 151.
Pacific, rearing in the laboratory, 2-7.
HINSON, BILL (see HASTINGS, W. H.), 204.
HOGAN, JAMES W. (see BRAUHN, JAMES L.), 112.
HOLMES, DONALD W. (see LACKEY, ROBERT T.), 175.
HOLZ, DELMAR (see BRAUHN, JAMES L.), 207.
HOLZ, DELMAR D., FOSTER L. MAYER, JR., and ROGER C. TINDLE: A core-type sampler for pesticide studies, 117.
HOOK, JAMES T. (see GIBBONS, J. WHITFIELD), 88.
HORAK, D. L. (see WINDELL, J. T.), 156.
HUBBARD, J. D. (see WINDELL, J. T.), 156.
HUISH, MELVIN T.: Some responses of the brown bullhead to MS–222, 27.
HUNN, JOSEPH B.: The effects of exposure to Thanite on the blood chemistry of carp, 81.
HURLEY, DONAL A.: Observations on incubating walleye eggs, 49.
Hybrids, redear sunfish x green sunfish, 107-109.
Hypophthalmichthys molitrix, 163.

Ichthyophthirius multifiliis, controlling with malachite green and formalin, 21-26.
fish in Uganda, 162-164.
review of methods to control, 165-170.
Ictalurus nebulosus, 27-32, 141-142.
punctatus, 21-26, 48, 76-80, 100-102, 112, 186-190, 240-241.
IMLAY, MARC J., and MARGARET L. PAIGE: Laboratory growth of freshwater sponges, unionid mussels, and sphaeriid clams, 210.
Incubator, inexpensive, 183-184.
Infectious hematopoietic necrosis (IHN), Washington salmon, 143-147.
Iron, ferric, toxicity to incubating eggs, 183.
Isobornyl thiocyanoacetate, effects on blood chemistry, 81-84.

JOHNSON, SVEN I. (see TALBOT, G. B.), 2.
JOHNSTON, JAMES M.: Tolerance of juvenile sockeye salmon and zooplankton to the selective squawfish toxicant 1, 1′-methylenedi-2-naphthol, 122.

Karmex DL, 149-150.
KELLER, WALTER T. (see PLOSILA, DANIEL, S.), 179.
KENDLE, EARL R., and LARRY A. MORRIS: A gastric battery for fish, 216.
Killifish, banded, pond reclamation, 136.
KLEIN, W. D.: Analysis of a creel-size trout plant in Parvin Lake under artificial lure fishing, 199.
KNIGHT, LEE H. (see ANDREWS, JAMES W.), 240.

LACKEY, ROBERT T., and DONALD W. HOLMES: Evaluation of two methods of aeration to prevent winterkill, 175.
Lampreys, marking, 70-75.
Lampsilis sp., 210-216.
LAW, DUNCAN K. (see CRAWFORD, DAVID L.), 126.
Lebistes reticulatus, 162.
LEITH, D. A. (see SANDERS, J. E.), 13.
LETEUX, FRANK, and FRED P. MEYER: Mixtures of malachite green and formalin for controlling *Ichthyophthirius* and other protozoan parasities of fish, 21.
LEWIS, WILLIAM M. (see HEIDINGER, ROY C.), 107.
Length-weight relationships, to evaluate effects of heated effluent, 85-87.
Lepomis cyanellus, 107-109.
gibbosus, 141.
macrochirus, 17, 85-87, 131-132.
microlophus, 107-109.
Light, effect on spawning, 110-112.
hematological parameters, 152-155.
survival of larval perch in tanks, 198.
to collect and separate zooplankton, 171-174.
Live box, lightweight, sturdy, 182.

Magnetic stirrer, battery powered, to minimize blood clotting, 159.
Malachite green, 149-150, 166.
and formalin, controlling *Ichthyophthirius*, 21-26.
MARKING, LEIF L.: Sensitivity of the white amur to fish toxicants, 26.
Marking, with tags, brands, fin perforations, and injections, 70-75.
MAYER, FOSTER L., JR. (see HOLZ, DELMAR D.), 117.
MCCARTNEY, THOMAS J. (see PLOSILA, DANIEL, S.), 179.
Menippe mercenaria, 8.
Mepacrine, 166.
Mercury compounds, 167.
Methylene blue, 166.
1, 1'-Methylenedi-2-naphthol, tolerance of juvenile sockeye salmon and zooplankton, 122-125.
Meyenia mülleri, 210-216.
MEYER, FRED P. (see LETEUX, FRANK), 21.
MEYERS, S. P., D. P. BUTLER, and W. H. HASTINGS: Alginates as binders for crustacean rations, 9.
Micropterus, 119.
dolomieui, 237-239.
salmoides, 55-58, 88-90, 107-109, 132, 207-209, 233-234.
Micro-Winkler method, 39.
MILLER, ROY W.: Three methods for determining dissolved oxygen concentrations near fish embryos, 39.
Mineral composition of Oregon pellet formulations, 126-130.
Minnow, fathead, toxicity of ferric iron to incubating eggs, 183.
pond reclamation, 136.
MOORE, J. W.: Piscivorous activities of brown bullheads in Lockhart Pond, Ontario, Canada, 141.
MOORE, K. D. (see SANDERS, J. E.), 13.
MORRIS, LARRY A. (see KENDLE, EARL R.), 216.
Mortality, dissolved oxygen levels, 223.
egg size, 66-69
high-density rearing, 101-102.
marks and tags, 71.
MS–222, 30-31.
Mugil cephalus, 229-232.
Mullet, striped, for added production in caged catfish studies, 229-232.
Mummichog, effects of dissolved oxygen on adults and embryos, 222-225.
MURAI, TAKESHI (see ANDREWS, JAMES W.), 240.
MURAI, TAKESHI, (see STICKNEY, ROBERT R.), 100.
Muskellunge, preparing embryos for study, 43-48.
Mussels, unionid, growth in laboratory, 210-216.
MS–222, 27-32.
Myxosoma cerebralis, spread in Michigan, 103-106.

NEILL, WILLIAM H., and THOMAS C. BYLES: Automatic pellet dispenser for experimental feeding of fishes, 170.
Nerve, lateral-line, recording electrical activity from, 59-61.
Net storage reel, 114.
Nifurpirinol, sensitivity of bacterial fish pathogens, 18-20.
NIMMO, DELWAYNE F. (see HEITMULLER, PAUL T.), 120.
Nitrogen, liquid, cold branding nonsalmonids, 131-132.
NOBLE, RICHARD L.: A method of direct estimation of total food consumption with application to young yellow perch, 191.
Notemigonus crysoleucas, 141.
Notobranchus, 162.

Oncorhynchus, 143-147.
kisutch, 15, 160-161.
nerka, 122-125.
tshawytscha, 66-69, 190.
Opercular rate, recording, 233-234.
Oregon, moist pellets, for juvenile herring, 4.
pellet formulations, mineral composition, 126-130.
Osmerus mordax, 133.
Oxygen, dissolved, determining concentrations near fish embryos, 39-42.

P–7138, sensitivity of bacterial fish pathogens, 18-20.
PAIGE, MARGARET L. (see IMLAY, MARC J.), 210.
PAPERNA, ILAN: Infection by *Ichthyophthirius multifiliis* of fish in Uganda, 162.
Par Pond, receiving heated effluent from a nuclear reactor, 85-87, 88-90.
Paraffin oil, 165.
Parasites, protozoan, controlling with malachite green and formalin, 21-26.
PARKS, ROBERT P. (see POLUHOWICH, JOHN J.), 33.
PAULSON, SILAS L. (see ANDERSON, MAX A.), 225.
Pellet dispenser, automatic, 170.
Penaeus, 8, 9.
Penicillin, 166.
Perca flavescens, 136, 191-194, 195-198.

Perch, yellow, direct estimation of total food consumption, 191-194; feeding periodicity, 193; laboratory culture, 195-198; pond reclamation, 136.
Periphyton, collected with simple inexpensive woodfloat sampler, 216.
PERRY, W. GUTHRIE, JR., and JAMES W. AVAULT, JR.: Comparisons of striped mullet and tilapia for added production in caged catfish studies, 229.
PETERSON, DONALD A.: Barometric pressure and its effect on spawning activities of rainbow trout, 110.
Petromyzon marinus, 70-75.
pH, 167.
Phenol, 227.
Philometra nodulosa, in white suckers, 235-236.
Pickerel, chain, predation on salmon, 217.
Pike, northern, fitted with gastric battery, 216.
Planting, scatter vs. spot, degree of predation, 217-221.
PLOSILA, DANIEL S., WALTER T. KELLER, THOMAS J. MCCARTNEY, and DOUGLAS S. ROBSON: Effects of sperm storage and dilution on fertilization of brook trout eggs, 179.
POLUHOWICH, JOHN J., and ROBERT P. PARKS: A comparative study of blood chemistry and respiration in marine and freshwater eels, 33.
Pomoxis nigromaculatus, 85-87.
Pompano, high-density culture, 8.
Pond management, brown bullheads, 141-142.
sockeye salmon and northern squawfish, 122-125.
largemouth bass, 55-58.
reclaimed pond for landlocked salmon, 133-140.
sunfish hybrid, 107-109.
winterkill and aeration, 175-178.
POST, GEORGE (see CLINE, THOMAS F.), 148.
Predation, by warm- and cold-water fish on salmon stocked in Maine lakes, 217-221.
on trout eggs and sac fry, 91-95.
Propylene glycol alginate-bound rations, 10.
Protozoan parasites, 21-26.
Pseudomonas spp., 20.
Pseudopleuronectes americanus, 113.
Ptychocheilus oregonensis, 122-125.
Pugheadedness, herring, 6.
Pumpkinseed, consumed by brown bullheads, 141.

Quinine, 166.

Recent articles, 32, 115, 164.
Reclamation, chemical, 134.
Redmouth disease, 19.
Hagerman, study of oral bacterins, 226-228.
Relays, electronic, for precise water-temperature control, 241.
Respiration, marine and freshwater eels, 33-38.
ROBERTS, FRANKLIN L. (see ROONEY, SALLY C.), 152.
ROBSON, DOUGLAS S. (see PLOSILA, DANIEL S.), 179
ROONEY, SALLY C., FRANKLIN L. ROBERTS, and ROGER P. DEXTER: Hematological parameters of immature Atlantic salmon, 152.
ROSS, A. J.: In vitro studies with nifurpirinol (P–7138) and bacterial fish pathogens, 18.
ROSS, AVRON J. (see ANDERSON, DOUGLAS P.), 226.

Salmo gairdneri, 15, 59-61, 103-106, 110-112, 148-151, 156-159, 199-203.
salar, 133-140, 152-155, 217-221.
trutta, 91-95, 103-106, 148-151.
Salmon, blood sample preservation, 63-64.
Atlantic, hematological parameters, 152-155.
chinook, delay in fertilizing eggs, 190; growth and mortality as affected by egg size, 66-69.
coho, effect of starvation time on amount of food eaten, 160-161; exposure to *Ceratomyxa shasta*, 15.
IHN virus, 143-147.
landlocked, developing a sport fishery in a reclaimed pond, 133-140; fish predation in Maine lakes, 217-221.
Salt, 166.
SALTER, FREDERICK H.: An easy to make large-capacity flowmeter, 116.
Salvelinus fontinalis, 103-106, 136, 179-181.
Sampler, core-type, 117-118.
wood-float periphyton, 225.
SANDERS, J. E., J. L. FRYER, D. A. LEITH, and K. D. MOORE: Control of the infectious protozoan *Ceratomyxa* shasta by treating hatchery water supplies, 13.
Saprolegnia, 54.
parasitica, control, on trout eggs, 148-151.
Sauger, cold branding, 132.
Sculpin, slimy, predation on trout, 91-95.
Scyphidia, 22-24.
Sea lamprey, marking, 70-75.
Sexing bluegills, by secondary sexual characteristics, 17.
Shad, gizzard, record size, 130.
Shiner, golden, 141.
Shrimp, brine, food for herring larvae, 3-4.
high-density culture, 8.
penaeid, in holding cage, 120.
white, alginate binders for rations, 9.
SIMCO, BILL (see HASTINGS, W. H.), 204.
Smelt, rainbow, forage for salmon, 135.
SMIGIELSKI, ALPHONSE S., and C. R. ARNOLD: Separating and incubating winter flounder eggs, 113.
SMITH, E. NORBERT (see VENABLES, BARNEY), 233.
SMITH, EDWARD J. (see SYKORA, JAN L.), 183.
Sodium carbonate, 165.
Spawning, artificial, 2-4.
delayed, 207-209.
effects of barometric pressure, temperature, and light, 110-112.
24 hours after death of female, 190.
off-season, 102.
Sperm, effects of storage and dilution on fertilization, 179-181.
Sphaerium, 210-216.
Sponges, growth in laboratory, 210-216.
Spongilla fragilis, 210-216.
Sport fishery for landlocked salmon, 133-140.
Squawfish, northern, population control, 122-125.
Squoxin, tolerance of juvenile sockeye salmon and zooplankton, 122-125.
STEELE, K. L. (see CHESHIRE, W. F.), 96.

STICKNEY, ROBERT R., TAKESHI MURAI, and GEORGE O. GIBBONS: Rearing channel catfish fingerlings under intensive culture conditions, 100.
STINAUER, RUDY: Collected 22-inch gizzard shad, 130.
Stizostedion canadense, 132.
vitreum vitreum, 49-54, 96-99.
Suckers, white, infected by nematode *Philometra nodulosa*, 235-236.
pond reclamation 136.
Sunfish, redear x green hybrid, pond management, 107-109.
SUPPES, V. CHARLES: Jar incubation of channel catfish eggs, 48.
SYKORA, JAN L., EDWARD J. SMITH, and MILAN SYNAK: An inexpensive fish egg incubator, 183.
SYLVESTER, J. R.: Effect of starvation time on the amount of food eaten by coho salmon, 160.
SYNAK, MILAN (see SYKORA, JAN L.), 183.
SYRETT, ROLL F., and WALTER F. DAWSON: An inexpensive electronic relay for precise water-temperature control, 241.

TABER, CHARLES A.: The yellow grub in centrarchids of southwest Missouri streams, 119.
TACKETT, DEWEY (see HASTINGS, W. H.), 204.
Tags, 72, 73, 199.
TALBOT, G. B., and SVEN I. JOHNSON: Rearing Pacific herring in the laboratory, 2.
Tannin, water hardening eggs, 7.
TAUB, STEPHEN H.: Exploitation of crayfish by largemouth bass in a small Ohio pond, 55.
Temperature, controlled by electronic relay, 241.
development of embryos and larvae at 23° C., 237-239.
for high-density rearing, 240-241.
effect on MS–222, 30.
effect on spawning, 110-112.
to control white-spot disease, 166.
Thanite, effects on blood chemistry, 81-84.
Thermal effluent, from nuclear reactor, 85-87, 88-90.
Tilapia, 163.
for added production in caged catfish studies, 229-232.
TINDLE, ROGER C. (see HOLTZ, DELMAR, D.), 117.
Toxaphene, 13.
Trachinotus carolinus, 8.
Transmitter, ultrasonic tracking, 216.
Traps, to collect zooplankton, 171-174.
Trichlorinated phenols, 167.
Trichodina, 22-24.
Trichophrya, 23-24.
Trout, brook, eggs, 179-181; pond reclamation, 136; spread of whirling disease, 103-106.
brown, predation by sculpin, 91-95; spread of whirling disease, 103-106; therapy for eggs infected with *Saprolegnia parasitica*, 148-151.
rainbow, analysis of creel-size plant in Parvin Lake under artificial lure fishing, 199-203; control of *Ceratomyxa shasta*, 15; effect of barometric pressure on spawning, 110-112; fed redmouth bacterins, 226-228; rate of gastric evacuation, 156-159; recording electrical activity from lateral-line nerve, 59-61; spread of whirling disease, 103-106; storing whole blood samples, 63-64; therapy for eggs infected with *Saprolegnia parasitica*, 148-151.

Uganda, *Ichthyophthirius multifiliis*, 162-164.
Ultraviolet irradiation, control of *Ceratomyxa shasta* 13-17.

VENABLES, BARNEY, and E. NORBERT SMITH: A simple method for recording opercular rate and heart rate of unrestrained fish, 233.
Vibrio, 20.
Virus, infectious hematopoietic necrosis, 143-147.
VOYER, RICHARD A., and RAYMOND J. HENNEKEY: Effects of dissolved oxygen on two life stages of the mummichog, 222.

WALLACE, CHARLES R.: Embryonic and larval development of the smallmouth bass at 23° C., 237.
Walleyes, hatchery rearing using artificial food, 96-99.
incubating eggs, 49-54.
water hardening eggs, 7.
WARNER, KENDALL: Development of a sport fishery for landlocked salmon in a reclaimed pond, 133.
WARNER, KENDALL: Further studies of fish predation on salmon stocked in Maine lakes, 217.
WASHBURN, GEORGE N. (see COLBY, PETER J.), 151.
Water supply, survival of larvae and zooplankton, 197.
treating for *Ceratomyxa shasta*, 13-17.
WEAVER, SAMMIE L. (see GREENLAND, DONALD C.), 114.
Whirling disease, spread in Michigan, 103-106.
Whitefish, lake, feeding behavior, 151.
White-spot disease, controlling with malachite green and formalin, 21-26.
review of methods to control, 165-170.
Uganda, 162-164.
WINDELL, J. T., J. D. HUBBARD, and D. L. HORAK: Rate of gastric evacuation in rainbow trout fed three pelleted diets, 156.
Winterkill, effects of aeration, 175-178.
WOOD, JAMES W. (see AMEND, DONALD F.), 143.

Yellow Springs instrument, 41.
YODER, WARREN G.: The spread of *Myxosoma cerebralis* into native trout populations in Michigan, 103.

ZIRGES, MALCOLM H., and LYLE D. CURTIS: Viability of fall chinook salmon eggs spawned and fertilized 24 hours after death of the female, 190.
Zooplankton, food for larval perch, 197-198.
tolerance to Squoxin, 122-125.
using light to collect and separate, 171-174.

☆ U. S. GOVERNMENT PRINTING OFFICE: 1972—515-788/1